

**REMARKS**

This amendment is being filed prior to payment of the issue fee. Entry of the foregoing amendment is respectfully requested. The amendment is required to make corrections to the specification in accordance to the comments made by the Examiner in the Notice of Allowability. The amendment does not change the scope of the claims. Accordingly, entry of the amendment is requested.

In the specification, paragraphs have been amended on pages 4, 7 and 8, in order to address the comments made with respect to the changes to the drawings requested in the Notice of Allowability. Please note that these specification amendments obviate any need to amend the drawings, and thus no drawing changes are being submitted with this amendment.

In particular, with respect to page 4, line 4, reference number 11, the specification has been amended to refer to Figure 4 of the drawings. With respect to page 5, line 3, reference number 73, the specification has been amended to refer to Figure 4 of the drawings. With respect to page 8, line 11, reference number 28, the specification has been amended to refer to reference number 26, which is shown in Figure 2 of the drawings. With respect to page 8, line 22, the specification has been amended to refer to Figure 4 of the drawings, which does show a control circuit (see page 3, lines 10-11 of the specification, for example).

It is believed that no fees are due in connection with this Rule 312 amendment. In the event this is not correct, the undersigned authorizes the Commissioner to charge Deposit Account No. 19-0741.

Respectfully submitted,

Date January 4, 2006

By Phillip J. Articola

FOLEY & LARDNER LLP  
Customer Number: 22428  
Telephone: (202) 945-6162  
Facsimile: (202) 672-5399

Phillip J. Articola  
Attorney for Applicant  
Registration No. 38,819